






1




2




3




4



5



6



Continuing Professional Development

Importance of CPD
CPD ensures orthodontic therapists maintain competence and deliver up-to-date care in a rapidly evolving field.

Methods of CPD
Effective CPD combines formal education, reflective learning, and practical experience for comprehensive growth.

Aligning CPD with Needs
Therapists should tailor CPD activities to personal learning goals and service requirements for best outcomes.

Benefits of CPD
Proactive CPD improves confidence, patient care, and supports long-term career progression in orthodontics.

7



Appropriate Referrals

8



Overview of Appropriate Referrals

Importance of Timely Referrals
Timely and accurate referrals protect patient health and support efficient treatment pathways in orthodontic care.

Scope and Specialist Input
Orthodontic therapists recognize issues beyond their scope that require specialist evaluation and input.

Clear Communication Processes
Clear referral protocols enhance communication among professionals and increase patient confidence in care.

Role in Referral Documentation
Therapists support referral decisions by adhering to documentation standards and identifying key indicators.

9

Identifying the Need for Referral

Clinical Indicators for Referral
Unexpected treatment responses and signs of pathology indicate the need for specialist referral.

Importance of Early Intervention
Timely referral enables early intervention, preventing complications and improving patient outcomes.

Professional Communication
Effective communication and thorough record keeping support safe and professional referral decisions.

10


Urgent vs Routine Referrals

Urgent Referral Indicators
Urgent referrals involve acute pain, infection, trauma, or suspected oral pathology needing immediate care.

Routine Referral Cases
Routine referrals include complex malocclusions, restorative needs, or periodontal assessments before treatment.

Effective Communication
Clear communication with patients and dental teams helps manage expectations and reduce patient anxiety.

Prioritisation Benefits
Prioritising referrals ensures patient safety and efficient use of clinical resources in orthodontic practice.



11



Patient-Centred Approach

12

Overview of Patient-Centred Care

Individualised Patient Focus
Patient-centred care recognises each patient's unique needs, values, and circumstances in orthodontic treatment.

Effective Communication and Empathy
Clear communication and empathy are key to building trust and reducing patient anxiety during care.

Shared Decision-Making
Involving patients actively in decisions improves cooperation and treatment outcomes.

Holistic Orthodontic Care
Holistic care considers emotional and physical wellbeing to support a positive patient experience.



13



Communication and Shared Decision Making

Patient-Centered Communication
Clear and supportive communication helps orthodontic therapists explain procedures and address patient concerns effectively.

Shared Decision Making
Engaging patients in treatment discussions ensures understanding of options, risks, and responsibilities.

Tailored Communication
Adjusting communication based on age, comprehension, and culture enhances patient understanding and adherence.

Building Rapport and Compliance
Strong communication skills foster trust, improve compliance, and support successful orthodontic outcomes.

14

Supporting Compliance and Motivation

Importance of Patient Compliance
Patient compliance is essential for orthodontic success, affecting appliance care and appointment attendance.

Role of Orthodontic Therapists
Therapists motivate patients with clear instructions, positive reinforcement, and practical strategies.

Personalised Support
Understanding behavioral factors helps provide tailored support to overcome anxiety and lifestyle barriers.

Encouraging Feedback and Progress
Celebrating progress and encouraging feedback enhances patient motivation and treatment outcomes.



15